

USR Generator TEC 80

CARRYING POWER WITH YOU

Compact and lightweight | efficient operation | Silent and low odor emissions



Features

POWER PROVIDE TO MEET VARIOUS NEEDS

Experience a comfortable and pleasant climate without City power

- 230 volt AC - home standard
- Suitable for powering sensitive electronic products
- Contains remote control
- Stainless steel body shell reduces noise hazard
- Charges the battery with automatic start function
- Use of new technologies



New Technologies

NEW TECHNOLOGIES

Create endless possibilities



The TEC80 can regulate the output of the power through the load, so the fuel consumption is very low.

In addition, not only short circuit protection and overload protection
Two generators can be connected in parallel



HONDA Engine

HONDA

Power Stronger and lighter weight



- Stronger power ,compact size and lighter weight 46kg only.
- Noise level only **62**db.
- TEC80 gasoline generators increase energy efficiency by 50% per kilogram compared to conventional generators
- Also reduced in weight and mounting controls
- Variable-speed electromagnetic alternator makes the generator stronger

QUALITY POWER


YOU NEED IT

Solve the troubles of no grid power supply



It provides
Pure sine wave Power
Also adapts it to sensitive power equipment

No matter where you are
In the absence of utility power
You are free to use air conditioning,
Electronic equipment such as microwave ovens



Friendly human-computer interaction

Remote Control

Easy to operate, safe and worry-free



The display panel with lighting system makes operation very easy, showing the relevant voltage, amperage, and start-up by alphanumeric Current, chronograph, etc., as well as a variety of alarm functions. No matter where you are



Remote control
Remote start and stop in 30 meters



Easy to view fuel level

Smart fuel tank and control panel

Let you do not worry about when you need to refueling
When you adjust to the Fuel level display on the control panel,
the precision fuel level shows %



40-litre stainless steel smart fuel tank, full load may last for **25** hours

The fuel tank also supports custom ordering, which can be customized according to the customer's model.

Product parameters



TEC 80 RV Gasoline Generator

[Voltage] AC 230V Pure sine wave

[Noize Level] 61-78db(7meters)

[Lated Output] 7600W

[Size] 710*630*600mm(width * height * depth)

[Max.Output] 8000W

[Weight] 95kG

[Engine Powr] 10kW(13HPS)

[Suspension Width] 680ml

[Fuel] Gasoline

[Quality Characteristics] overload , short circuit , lack of oil protection

[fuel consumption] up to 1.8L / h

[Detection mark] CE, E13

[Startup Mode] Remote Start

[Fuel Tank Capacity] 40 Liter

